



M704

WATERTIGHT MARINE CD/USB RECEIVER



Power Output:
18W x 4 RMS (4Q@14.4V±1% THD+N)
Signal to Noise Ratio:
94dB (Ref: 1W into 4Q)

- 2V/8Ch pre-amp output
- SiriusXM-Ready
- Pandora Internet Radio

Clarion Marine Dual Zone Control

The M704 and CMS5 feature our new Marine Dual Zone Control system. You can independently control the volume level of two different entertainment areas - be it the cabin, cockpit, a wake board tower system or anything else you can think of. All right from the front panel of the source unit.

A Unique Marine Solution

The Marine Entertainment industry has evolved, and Clarion has remained at the forefront for unique solutions. The M704 is an advanced digital multimedia receiver designed to meet the needs of today's music enthusiast. Equipped with an easy to see Optically Bonded 3.5" LCD display and a water resistant front panel, the M704 is designed to be at the heart of your on-board multimedia entertainment solution. Audio from USB, Bluetooth or SiriusXM radio, and video from USB, an A/V Input or the dedicated Camera input will keep everyone on-board entertained.

Dual High Current USB Connections

The M704 and CMS5 both include a pair of USB connections, each rated to provide up to 2.1A of current per connection. This allows you to charge devices like an iPad with ease. You can simultaneously connect an Apple device and USB Storage devices for hours and hours of entertainment.

Engineered to Withstand Sun, Water and Salt

The M704, CMS2, CMS5 and CMD8 have been IP66 tested and certified to offer protection against water intrusion and resistance to salt fog corrosion. Rubber mounting gaskets and integrated drainage channels keep water out. The M704, CMS5 and MW4 feature an optically bonded full colour LCD display for vibrant graphics and detail. This is the performance, durability and reliability you have come to expect from Clarion for the extreme marine environment.



CMS5

MARINE DIGITAL MULTIMEDIA BLUETOOTH RECEIVER WITH 4.3" COLOUR LCD DISPLAY



Power Output:
19W x 4 RMS (4Q@14.4V±1% THD+N)
Signal to Noise Ratio:
94dB (Ref: 1W into 4Q)

Multimedia for any space

The CMS5 features an AM/FM Receiver with dual USB for iPod/iPhone as well as audio and video multimedia files. Marine Dual Zone gives you full control over two audio zones in your boat from one location. A Camera input is included let you watch a skier or help you dock your boat. Audio / Video outputs will allow you to display AVI or MPEG movies on a TV. As always, support for external amplifiers is provided with 3 sets of 4V preamp outputs to let you build an amazing entertainment system that will blow peoples minds.



Superior Media Connectivity

The rear USB connection on many marine source units allows you to play music from Apple devices like the iPod, iPhone, or iPad with ease. Load up a USB memory stick with MP3 or WMA files and have access to thousands of songs with easy folder navigation from the control panel of your radio or from your Marine Wired Remote Control.



Control From Anywhere On-Board

2014 Clarion Marine source units that are Marine Wired Remote Ready can be controlled easily from almost anywhere on your boat. Marine Wired Remote Ready means you can add up to 3 MW1, MW2 or MW4 wired remotes or the MF1 wireless RF remote control. With the MW1 or MW4 remote, you can see the title of the song playing from your iPod, the radio station or the track on your disc. From the helm, the swim platform of even at the end of the tow rope - you are in total control.



SiriusXM

SXV200C

SiriusXM Satellite Radio Direct Connect Tuner

- Full integration with source unit for station selection and track/artist name display.
- Compatible with optional SRA25 Antenna



SRA25

Shakespeare Marine Sirius Antenna (Includes 25' Cable)

- Compatible with Sirius SCC1C and SiriusXM SXV200C Tuners.



	VIDEO	CD	iPod & iPhone Control	iPod S-Control	SiriusXM -Ready™	Built-in Bluetooth	Audio Format	USB	Beat EQ	MAGNA BASS EX	AUX Input	Preamp Output	Power Output	Fixed Audio Output	Water Resistant Front Panel	Wired Remote Ready
M704	USB/iPod*1	—	●	●	SXV200C	●	MP3/WMA	Dual 2.1A Rear	●	—	Rear x 2	4V/8ch	50Wx4	●	●	●
CMS5	USB/iPod*1	—	●	●	SXV200C	●	MP3/WMA	Dual 2.1A Rear	●	—	Rear x 2	4V/8ch	50Wx4	●	●	●

Ride the Waves with Endless Entertainment



Optional

M303

MARINE CD/USB/BLEETOOTH RECEIVER

Power Output:
18W x 4 RMS (4Ω@14.4V±1% THD+N)
Signal to Noise Ratio:
95dB (Ref: 1W into 4Ω)

Equipped for everything

CD, USB and Bluetooth connectivity mean that almost any audio source is ready to entertain you. Add SiriusXM for genre-specific entertainment or connect Clarion's amazing amplifiers and speakers and create an entertainment system that will amaze your friends on the long weekend! A rear Aux input and 4-channel preamp output let the M303 be at the head of a serious entertainment system.



Optional

CMD8

WATERTIGHT MARINE CD/USB RECEIVER

Power Output:
18W x 4 RMS (4Ω@14.4V±1% THD+N)
Signal to Noise Ratio:
94dB (Ref: 1W into 4Ω)

The Marine Benchmark

Splash it or hose it down - the CMD8 doesn't care. Designed with rubber gaskets and water drainage channels, Mother Nature can do it's worst and this deck keeps on ticking. Equipped with Rear Aux Input, USB for iPhone/iPod and a CD mechanism that includes MP3/WMA playback support, this is the workhorse of the Clarion Marine Entertainment line.



M502

MARINE DIGITAL MEDIA BLEETOOTH RECEIVER

7-Way Rotary Volume Control

Power Output:
18W x 4 RMS (4Ω@14.4V±1% THD+N)
Signal to Noise Ratio:
83dB (Ref: 1W into 4Ω)

The unique and convenient 7-way Rotary Volume Control means you can control all the key functions of the M502 while keeping your eyes on what's happening in front of the boat. Bluetooth, USB, rear Aux input and 4-channel preamp outputs ensure you stay connected.



BKU001
Pedestal Mount for the CMS2

CMS2

MARINE DIGITAL MEDIA BLEETOOTH RECEIVER

Hide away Source Unit

Clarion's CMS5 and CMS2 feature a two-piece design that allows for nearly limitless installation opportunities. AM/FM and Weather Band tuners are built in, and with a wide variety of connections including Bluetooth, USB and iPod allows you to easily create a system that's customized to your exact needs.

Power Output:
16W x 4 RMS (4Ω@14.4V±1% THD+N)
Signal to Noise Ratio:
74dB (Ref: 1W into 4Ω)



Optional

M109

MARINE CD RECEIVER

Power Output:
20W x 4 RMS (4Ω@14.4V±1% THD+N)
Signal to Noise Ratio:
88dB (Ref: 1W into 4Ω)

• AM/FM Tuner with 18FM/6AM Presets • Front 3.5mm Aux Input • Reverse LCD Display • Conformally Coated PCB • Detachable Control Panel • 4-Channel RCA Preamp Output

System Control from Anywhere On-board

MF1
RF Wireless Remote

MW1
Watertight Marine Remote with LCD

MW2
Watertight Marine Remote

MW4
Watertight 3-inch Colour LCD Marine Wired Remote



	iPod & iPhone Control	iPod S-Control	Built-in Bluetooth	Satellite Radio	MP3/WMA	USB	Z-Enhancer Plus	Beat EQ	MAGNA BASS EX	AUX Input	Preamp Output	Audio Output	7-way Rotary Volume	Rotary Volume Control	Water Resistant Front Panel	Wired Remote Ready
M303	●	●	●	SXV200C	●	Rear	—	●	●	Rear	2V/4ch	45Wx4	—	●	—	●
CMD8	●	●	—	SXV200C	●	Rear	—	●	●	Rear	2V/6ch	45Wx4	—	●	●	●
CMS2	●	●	A2DP Only	SXV200C	●	Rear	—	●	●	Rear	2V/6ch	50Wx4	—	—	●	●
M502	●	●	●	SXV200C	●	Rear	—	●	●	Rear	2V/4ch	45Wx4	●	—	—	●
M109	—	—	—	—	●	—	●	—	●	Front	2V/2ch	50Wx4	—	●	—	—

MARINE AMPLIFIERS



Marine Ready

Unlike many competing products, the Clarion XC6 series of amplifiers was designed from the ground up to work in your vehicle or in your boat. Nickel-Plated hardware and a conformal coating on the circuit boards ensure reliability and longevity on the water.

	Continuous Power Output	4-Ohms	2-Ohms	Bridged 4-Ohms	Number of Channels	Dimensions (W" x L" x H")	CEA 2006 Power Ratings
XC6620	750W	85W x 6	125W x 6	250W x 3	6/5/4/3	11-3/8 x 6-7/8 x 2-3/16	125W x 6 @ 2 Ohms 85W x 6 @ 4 Ohms S/N 89dB
XC6420	500W	85W x 4	125W x 4	250W x 2	4/3/2	8-3/4 x 6-7/8 x 2-3/16	125W x 4 @ 2 Ohms 85W x 4 @ 4 Ohms S/N 89dB
XC6210	250W	85W x 2	125W x 2	250W x 1	2/1	6-3/8 x 6-7/8 x 2-3/16	125W x 2 @ 2 Ohms 85W x 2 @ 4 Ohms S/N 89dB
XC6120	650W	330W x 1	650W x 1	—	1	8-3/4 x 6-7/8 x 2-3/16	650W x 1 @ 2 Ohms 330W x 1 @ 4 Ohms S/N 89dB



MARINE SPEAKERS AND SUBWOOFERS



	Size	Maximum Power	Type	CEA-2031 Speaker Rating
CMG2512W	10"	350W	Water-Resistant Subwoofer	Maximum Continuous Power: 150 Watts Impedance: 4 Ohms
CMG1722R	7"	100W	Water-Resistant 2-Way Coaxial	Maximum Continuous Power: 50 Watts Impedance: 4 Ohms
CMG1622S	6-1/2"	120W	Water Resistant 2-Way Component Speaker System	Maximum Continuous Power: 60 Watts Impedance: 4 Ohms
CMG1622R	6-1/2"	100W	Water-Resistant 2-Way Coaxial	Maximum Continuous Power: 50 Watts Impedance: 4 Ohms



HIGH PERFORMANCE MARINE SPEAKERS AND SUBWOOFERS



	Size	Maximum Power	Type	CEA-2031 Speaker Rating
CMQ2512W	10"	400W	Water-Resistant Subwoofer	Maximum Continuous Power: 180 Watts Impedance: 4 Ohms
CMQ1622R	6-1/2"	120W	Water-Resistant 2-Way Coaxial	Maximum Continuous Power: 60 Watts Impedance: 4 Ohms
CMQ6922R	6" x 9"	160W	Water Resistant 2-Way Coaxial	Maximum Continuous Power: 80 Watts Impedance: 4 Ohms
CMQ1322R	5-1/4"	100W	Water-Resistant 2-Way Coaxial	Maximum Continuous Power: 50 Watts Impedance: 4 Ohms



OPTIONAL ACCESSORIES

CML2500
Illuminated Grille for 10" Marine Subwoofer
Compatible with CMG2512W



CML1600
Illuminated Grilles for 6-1/2" Marine Speakers
(Sold in pairs)
Compatible with CMG1622S and CMG1622R



RTR600B & RTR600W
Manual Marine Radio Covers
(Available in Black or White)



CCAU5BAV
Installable 3.5mm/USB Audio/Video Cable



CCAAUX
Installable RCA /3.5mm AUX Cable



CCAU5B
Installable USB Cable



MWRXC
25ft Marine Remote Extension Cable for MW4, MW1/2 or MF1



MWRYC
Remote Y-cable for MW4, MW1/2 or MF1

