

# Marine Audio Systems



## Watertight Marine CD/USB Receiver with J1939 CAN Bus Interface.



### CMD9

#### WATERTIGHT J1939 MARINE CD/USB RECEIVER

**Power Output:**  
18W x 4 RMS (4Ω@14.4V±1% THD+N)  
**Signal to Noise Ratio:**  
84dB (Ref: 1W into 4Ω)

- J1939 CAN Bus compatibility allows for control via your boat's multi-function display
- 3-inch color LCD display
- Stainless Steel Chassis

COMPACT DISC DIGITAL AUDIO ((SiriusXM)) PANDORA READY

Made for iPod iPhone

SSS CHASSIS BEAT EQ



MW4 (Optional)

### Engineered to Withstand Salt Water

CMD9 has been tested and certified to offer high protection against water intrusion and resistance to salt. Rubber gaskets and integrated drainage channels keep water out. Should any water get behind the panel, the integrated drip shield helps protect internal circuitry from the effects of moisture, corrosion and mildew. The stainless steel chassis won't rust, plus its sturdiness contributes to overall ruggedness. The

black/white two-tone design provides high contrast for superior usability, plus CMD9 offers a color LCD. Durability you can rely on for the extreme marine environment.



## Watertight Marine CD/USB Receiver with iPod/iPhone Connectivity



### CMD8

#### WATERTIGHT MARINE CD/USB RECEIVER

**Power Output:**  
18W x 4 RMS (4Ω@14.4V±1% THD+N)  
**Signal to Noise Ratio:**  
84dB (Ref: 1W into 4Ω)

- 2V/4ch pre-amp output
- SiriusXM-Ready™
- Pandora® internet radio

COMPACT DISC DIGITAL AUDIO ((SiriusXM)) PANDORA READY

Made for iPod iPhone

BEAT EQ MAGNA BASS EX



MW4 (Optional)

### Seamlessly Supports all Your Media Preferences

CMD8/CMD9 support digital media of all kinds — CD, MP3 and WMA digital audio files on disc or USB memory, as well as playback of music stored on your iPod® or iPhone® complete with genre/album/song title search. Keep using the iPod control wheel that you're so familiar with, and enjoy great sound through your boat's audio system. ID3-TAG coding is also supported so you'll be able to see the title information of music files being played back. Your music doesn't stop at shore, it's only just beginning.



#### FEATURES

	CD	iPod & iPhone Control	SiriusXM-Ready™	Pandora	Audio Format	USB	Beat EQ	MAGNA BASS EX	Parametric EQ	AUX Input	Output	Fixed Audio Output	Stainless Chassis	Wired Remote Ready
CMD9	●	●	●*1	●	MP3/WMA	Dual Rear	—	—	—	Rear x 2	4V/6ch	●	●	●
CMD8	●	●	●*1	●	MP3/WMA	Rear	●	●	●	Rear	2V/4ch	—	—	●

\* For functional details please visit the Clarion website. \*1 SiriusXM-Connect™ Vehicle Tuner

# Marine Audio Systems

## Ride the Waves with Endless Entertainment.



New

**M303**

### MARINE CD/USB/BLEETOOTH® RECEIVER



Power Output:  
18W x 4 RMS (4Ω@14.4V±1% THD+N)  
Signal to Noise Ratio:  
95dB (Ref: 1W into 4Ω)

- Built-in Parrot Bluetooth module for Hands-free Calling & Stereo Audio Streaming • Pandora® internet radio Capability
- Rear USB Port with iPod® and iPhone® Audio Direct Connect
- Large rotary volume knob

#### Superior iPod and iPhone Connectivity.

Using your iPod or iPhone on your boat just got more convenient. Control of USB connected iPod or iPhone via optional Wire Remote Control MW4 compatible.



Just connect your iPod, iPhone and iPad using one of the 2.1 amp USB Connectors for full control and charging.



New

**CMS5**

### MARINE DIGITAL MEDIA RECEIVER WITH 4.3-INCH COLOR LCD WATERTIGHT CONTROLLER WITH J1939 COMPATIBILITY



Power Output:  
19W x 4 RMS (4Ω@14.4V±1% THD+N)  
Signal to Noise Ratio:  
94dB (Ref: 1W into 4Ω)

- J1939 CAN Bus compatibility allows for control via your boat's multi-function display • 4.3-inch optically bonded color LCD • SiriusXM-Ready™ • Video input/output • Rear vision camera composite video input

#### Hideaway Source Unit for the Ultimate in Protection.

Clarion's CMS5 is like a source unit and a hub, all rolled into one "black box". The essentials including AM/FM/Weather Band radio are built in, and, with a wide variety of connections including USB and iPod, you can easily create a system that's customized to your exact needs.



Made for iPod iPhone

SiriusXM READY PANDORA

Bluetooth

Parrot

USB BeatEQ M-BASS EX


**M502**

### MARINE DIGITAL MEDIA RECEIVER WITH BUILT-IN BLEETOOTH



Power Output:  
18W x 4 RMS (4Ω@14.4V±1% THD+N)  
Signal to Noise Ratio:  
93dB (Ref: 1W into 4Ω)

- Bluetooth Stereo Audio Streaming and Hands-free Calling • Rear USB Port with iPod and iPhone Audio Direct Connect



Made for iPod

USB

**CMS1**

### DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER



Power Output:  
16W x 4 RMS (4Ω@14.4V±1% THD+N)  
Signal to Noise Ratio:  
74dB (Ref: 1W into 4Ω)

- Suction or Screw-In Mounting
- Multi-Angle Adjustable

Just connect your iPod for full control and charging.



BKU001  
Pedestal Mount for  
The CMS1



Optional

**M109**

### MARINE CD RECEIVER



Power Output:  
20W x 4 RMS (4Ω@14.4V±1% THD+N)  
Signal to Noise Ratio:  
88dB (Ref: 1W into 4Ω)



## System Control from Anywhere Onboard

MW4 New

Watertight 3-inch Color LCD  
marine wired Remote Control



MF1  
RF Wireless  
Remote Control  
for CMD9 CMD8 M303  
CMS5 M502 CMS1



### OPTIONAL ACCESSORIES

CCAUSBV 3.5mm/USB Audio/Video Extension Cable New	CCAAUX RCA/3.5mm AUX Input Cable	CCAUSB USB Extension Cable	MWRXCRET 25ft Marine Remote Extension Cable for MW4	MWRYCRET Remote Y-cable for MW4

### FEATURES

	iPod & iPhone Control	Built-in Bluetooth	SiriusXM-Ready	Pandora internet radio	MP3/WMA	USB	Z-Enhancer Plus	Beat EQ	MAGNA BASS EX	Parametric EQ	AUX Input	Output	7-way Rotary Volume	Integral Rotary Volume	Fixed Audio Output	Water Resistant Chassis	Wired Remote Ready
CMS5	•	•	•*1	•	•	Dual USB	—	—	—	—	Rear	4V/6ch	—	•	•	•	•
CMS1	iPod	—	—	—	•	Rear	—	—	—	—	Rear	2V/2ch	—	—	—	—	•
M502	•	Parrot	•*1	•	•	Rear	—	•	•	•	Rear	2V/4ch	•	—	—	—	•
M303	•	Parrot	•*1	•	•	Rear	—	•	•	•	Rear	2V/4ch	—	•	—	—	•
M109	—	—	—	—	•	—	•	—	•	•	Front	2V/2ch	—	•	—	—	—

\* For functional details please visit the Clarion website. \*1 SiriusXM-Connect™ Vehicle Tuner

# MARINE ENTERTAINMENT SYSTEM



## MARINE AMPLIFIERS



**Power Your Whole Boat with One 6-channel Amp**



Ultra Compact Size

Feature Comparison	Maximum Power Output	4-Ohm	2-Ohm	Type	Number of Channels	Dimensions (W" x L" x H")	CEA 2006 Power Ratings
<b>New</b> XC6610	1000W	80W x 6	120W x 6	Class D	6/5/4/3	11-3/8 x 6-7/8 x 2-3/16	125W x 6 RMS [2Ω @ ≤ 14.4V 1% THD+N] 85W x 6 RMS [4Ω @ ≤ 14.4V 1% THD+N] S/N 80dB (Ref: 1W into 4Ω)
XC6410	600W	85W x 4	125W x 4	Class D	4/3/2	8-3/4 x 6-7/8 x 2-3/16	125W x 4 RMS [2Ω @ ≤ 14.4V 1% THD+N] 85W x 4 RMS [4Ω @ ≤ 14.4V 1% THD+N] S/N 80dB (Ref: 1W into 4Ω)
XC6210	350W	85W x 2	125W x 2	Class D	2/1	6-3/8 x 6-7/8 x 2-3/16	125W x 2 RMS [2Ω @ ≤ 14.4V 1% THD+N] 85W x 2 RMS [4Ω @ ≤ 14.4V 1% THD+N] S/N 80dB (Ref: 1W into 4Ω)
<b>New</b> XC1410	300W	50W x 4	75W x 4	Class D	4	7-1/8 x 2-3/4 x 1-3/8	75W x 4 RMS [2Ω @ ≤ 14.4V 1% THD+N] 50W x 4 RMS [4Ω @ ≤ 14.4V 1% THD+N] S/N 80dB (Ref: 1W into 4Ω)



XC6610



XC6410



XC6210



XC1410

## MARINE SPEAKERS AND SUBWOOFERS



Feature Comparison	Size	Maximum Power Handling	Type	CEA-2031 Speaker Rating
<b>New</b> CMG2512W	10"	350W	Water-Resistant Subwoofer	Maximum RMS Power: 150 watts Impedance: 4 ohms
<b>New</b> CMG1722R	7"	100W	Water-Resistant 2-Way Coaxial	Maximum RMS Power: 50 watts Impedance: 4 ohms
<b>New</b> CMG1622S	6-1/2"	120W	Water Resistant 2-Way Component Speaker System	Maximum RMS Power: 60 watts Impedance: 4 ohms
<b>New</b> CMG1622R	6-1/2"	100W	Water-Resistant 2-Way Coaxial	Maximum RMS Power: 50 watts Impedance: 4 ohms



CMG2512W



CMG1722R



CMG1622S



CMG1622R

## HIGH PERFORMANCE MARINE SPEAKERS AND SUBWOOFERS



Feature Comparison	Size	Maximum Power Handling	Type	CEA-2031 Speaker Rating
<b>New</b> CMQ2512W	10"	400W	Water-Resistant Subwoofer	Maximum RMS Power: 180 watts Impedance: 4 ohms
<b>New</b> CMQ1622R	6-1/2"	120W	Water-Resistant 2-Way Coaxial	Maximum RMS Power: 60 watts Impedance: 4 ohms
<b>New</b> CMQ6922R	6" x 9"	160W	Water Resistant 2-Way Coaxial	Maximum RMS Power: 80 watts Impedance: 4 ohms



CMQ2512W



CMQ1622R



CMQ6922R

## MARINE ILLUMINATED SPEAKER AND SUBWOOFER GRILLES



**CML2500**  
Illumination Grille  
for 10" Marine  
Subwoofer  
works with  
CMG2512W



**CML1600**  
Illumination Grille  
for 6-1/2" Marine Speaker  
(sold in pairs)  
works with  
CMG1622S and  
CMG1622R